

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

PTO FORM 1449

ATTY, DOCKET ND. 05882.0183.NPUS00	APPLICATION NO. 09/976,858			
APPLICANT	-			
Kurt C. Gish, tal.				
FILING DATE	GROUP			
October 12, 2001	1642			

U.S. PATENT DOCUMENTS							
*EXAMINER	OTE	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
YY,	A1.	5,514,554	07/1995	Bacus			

FOREIGN PATENT DOCUMENTS								
*EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
A.							YES	NO
1 /	B1.	WO 98/18945	05/1998	PCT				<u> </u>
_	B2.	WO 98/34118	08/1998	PCT				
	В3.	WO 99/23230	05/1999	PCT				
	B4.	WO 99/33869	07/1999	PCT				
	B6.	WO 99/25877	05/1999	PCT				
1	B5.	WO 00/08210	02/2000	РСТ				

OTHER REFERENCES

(Including Author, Title, Date, Pertinent Pages, Etc.)

		(Including Author, Title, Date, Pertinent Pages, Etc.)
), * 	C1.	Ahn, et al., "The structural and functional diversity of dystrophin," Nature Genetics, 3(4):283-91 (1993)
*	C2.	Cawthon, et al., "cDNA sequence and genomic structure of EV12B, a gene lying within an intron of the neurofibromatosis type 1 gene," Genomics 9(3):446-60 (1991)
*	C3.	Oshima, et al., Accession No: AK097748 7 (2002)
*	C4.	Kibel, et al. "Loss of heterozygosity at 12P12-13 in primary and metastatic prostate adenocarcinoma," J. Urol., 164(1): 192-6 (2000)
	C5.	MPSRCH search report, us-09-847-048-1:mg, pp. 6-7 Year?
*	C6.	Lewin, "Genes," John Wiley & Sons, New York, pp. 190-1 (1983)
*	C7.	Mermod, "Enhancer binding factors AP-4 and AP-1 act in concert to activate SV40 late transcription in vitro," <i>Nature</i> 332(6164):557-61 (1988)
**	C8.	Landis, et al., "Cancer statistics 1998," CA Cancer J. Clin. 48(1):6-29 (1998)
**	C9.	Greenlee, et al., "Cancer statistics 2000," CA Cancer J. Clin. 50(1):7-33 (2000)
**	C10.	Nakata, et al., "Trends and characterisctics in prostate cancer mortality in Japan," Int. J. Urol. 7(7):254-7 (2000)

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

M.T. DAVIS

05/20/05

1642



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

PTO FORM 1449


ATTY, DOCKET NO. 05882.0183.NPUS00	APPLICATION NO. 09/976,858
APPLICANT	
Kurt C. Gish, et al.	
FILING DATE	GROUP


October 12, 2001



	-	
**	C11.	Majeed, et al., "Trends in prostate cancer incidence, mortality and survival in England and Wales 1971-1998," BJU Int. 85(9):1058-62 (2000)
**	C12.	Nowroozi, et al., "The Current Status of Gene Therapy for Prostate Cancer," Cancer Control 5(6):522-31.
**	C13.	Panvichian, et al., "Hormonal and Chemotherapeutic Systemic Therapy for Metastatic Prostate Cancer," Cancer Control 3(6):493-500 (1996)
**	C14.	Rago, et al., "Management of Hormone-Sensitive and Hormone-Refractory Metastatic Prostate Cancer," Cancer Control 5(6):513-21 (1998)
**	C15,	Nagabhushan, et al., "CWR22: the first human prostate cancer xenograft with strongly androgen- dependent and relapsed strains both in vivo and in soft agar," Cancer Res. 56(13):3042-6 (1996)
**	C16.	Agus, et al., "Prostate cancer cell cycle regulators: response to androgen withdrawal and development of androgen independence," J. Natl. Cancer Inst. 91(21):1869-76 (1999)
**	C17.	Bubendorf, L., "Hormone therapy failure in human prostate cancer: analysis by complementary DNA and tissue microarrays," <i>J. Natl. Cancer Inst.</i> 91(20):1758-64 (1999)
**	C18.	Smith, et al., "Paclitaxel in the treatment of hormone-refractory prostate cancer, Semin Oncol. 26 (1 Suppl 2):109-11 (1999)
**	C19.	Yang, et al., "Combining SSH and cDNA micoarrays for rapid identification of differentially expressed genes," Nucleic Acids Res. 27(6):1517-1523 (1999)
**	C20.	Derisi, et al., "Use of cDNA microarray to analyse gene expression patterns in human cancer," Nature Genetics 14:457-60 (1996)
* *	C21.	Welford, et al., "Detection of differentially expressed genes in primary tumor tissues using representational differences analysis coupled to microarray hybridization, " Nucleic Acids Res. 26(12):3059-65 (1998)
**	C22.	Khan, et al., "Expression profiling in cancer using cDNA microarrays," Electrophoresis 20:223-9 (1999)
**	C23.	Ross, et al., "The HER-2/neu oncogene in breast cancer: prognostic factor, predictive factor, and target for therapy," Stem Cells 16(6):413-28 (1998)
**	C24.	Maloney, et al., "IDEC-C2B8 (Rituximab) antii-CD20 monoclonal antibody therapy in patients with relapsed low-grade non-Hodgkin's lymphoma," Blood 90(6):2188-95 (1997)
**	C25.	Leget, et al., "Use of rifuximab, the new FDA-approved antibody,: Curr Opin Oncol. 10(6):548-51 (1998)
**	C26.	Israeli, et al., "Molecular cloning of a complementary DNA encoding a prostate-specific membrane antigen," Cancer Res. 53(2):227-30 (1993)
**	C26.	Reiter, et al., "Prostate stem cell antigen: a cell surface marker overexpressed in prostate cancer," Proc. Natl. Acad. Sci. U. S. A. 95(4):1735-40 (1998)

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.





1642



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

PTO FORM 1449

ATTY, DOCKET NO. 05882,0183.NPUS00	APPLICATION NO. 09/976,858
APPLICANT Kurt C. Gish, tal.	
FILING DATE	GROUP

October 12, 2001

۸.		γ	
	. **	C27.	Hubert, et al., "STEAP: a prostate-specific cell-surface antigen highly expressed in human prostate tumors," Proc. Natl. Acad. Sci. U.S. A. 96(25):14523-8 (1999)
	**	C28.	Carter, et al., "Prostate-specific membrane antigen is a hydrolase with substrate and pharmacologic characteristics of a neuropeptidase," Proc. Natl. Acad. Sci. U. S. A. 93(2):749-53 (1996)
	**	C29.	Sodee, et al., "Preliminary imaging results using In-111 labeled CYT-356 (Prostascint) in the detection of recurrent prostate cancer," Clin. Nucl. Med. 21(10):759-67 (1996)
	**	C30.	Gregorakis, et al., "Prostate-specific membrane antigen: current and future utility," Semin Urol. Oncol. 16(1):2-12 (1998)
	**	C31.	Liu, et al., "Constitutive and antibody-induced internalization of prostate-specific membrane antigen," Cancer Res. 58(18):4055-60 (1998)
	##	C32.	Murphy, et al., "Isolation and characterization of monoclonal antibodies specific for the extracellar domain of protate specific membrane antigen," J. Urol. 160(6 Pt 2):2396-401 (1998)
	**	C33.	Silver, et al., "Prostate-specific membrane antigen expression in normal and malignant human tissue," Clin. Cancer Res. 3(1):81-5 (1997)
	**	C34.	Liefers, et al., "Micrometastases and Survival in Stage II Colorectal Cancer," New England J. Med. 339(4):223-8 (1998)
	**	C35.	Gu, et al., "Prostate stem cell antigen (PSCA) expression increases with high gleason score, advanced stage and bone metastasis in prostate cancer," Oncogene 19(10):1288-96 (2000)
	**	C36	Nagase, et al., "Prediction of the coding sequences of unidentified human genes XVI. The complete sequences of 150 new cDNA clones from brain which code for large proteins in vitro," DNA Res. 7(1):65-73 (2000)

M.T. DAVIS OF/20/05